	Type	L #	Hits	Search Text	DBs
1	BRS	L2	25233	(File AND server AND director$3) AND (hierarch$4 OR tree$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L3	32994	(File AND server AND director$3) AND (hierarch$4 OR tree$1 or node$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L5	12611	(Network NEAR3 file NEAR3 system) OR (NFS) OR (Common NEAR4 internet NEAR4 file NEAR4 system) OR (CIFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L6	1766	(Depth NEAR3 First NEAR3 Search)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
5	BRS	L4	41	((Breadth OR depth) NEAR3 search$3) AND queu$3 AND thread$3 AND (file$1 Adj4 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L7	452459	(walk$3 OR travers$3 OR scan$3 OR trac$3) same (depth$3 OR level$3 OR hierarch$3 OR director$3 OR root$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L9	62708	7 and thread$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L10	44033	9 and (node identification number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
9	BRS	L11	12	9 and (node identification number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L13	135	9 and ((index$3 or indices) with hierarchical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L14	934	9 and 707/1,10,100,104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L15	244	9 and 707/200-201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L16	117	9 and 711/111-114.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L17	130	9 and 714/1-6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L18	947	9 and 709/217-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB